



DIAGRAM SHEET 5.3-1


Apply a Soft Splint



STEP 1 Support the injured area above and below the site of the injury.




STEP 4 Gently wrap a soft object (a folded blanket or a pillow) around the injured area.




STEP 2 Check for feeling, warmth, and color.



STEP 5 Tie triangular bandages securely.



STEP 3 Place several folded triangular bandages above and below the injured area.



STEP 6 Recheck for feeling, warmth, and color.
If you are not able to check warmth and color because a sock or shoe is in place, check for feeling.

DIAGRAM SHEET 5.3-2

Apply a Rigid Splint




STEP 1 Support the injured area above and below the site of the injury.




STEP 4 Tie several folded triangular bandages above and below the injured area.



STEP 2 Check for feeling, warmth, and color.



STEP 5 Recheck for feeling, warmth, and color.




STEP 3 Place the rigid splint (board) under the injured area and the joints that are above and below the injured area.

If a rigid splint is used on a forearm you must also immobilize the elbow. Bind the arm to the chest using folded triangular bandages or apply a sling.

DIAGRAM SHEET 5.3-3

Use an Anatomic Splint




STEP 1 Support the injured area above and below the site of the injury.



STEP 4 Place uninjured area next to injured area.



STEP 2 Check for feeling, warmth, and color.



STEP 5 Tie triangular bandages securely.



STEP 3 Place several folded triangular bandages above and below the injured area.



STEP 6 Recheck for feeling, warmth, and color.


DIAGRAM SHEET 5.3-4

Apply a Sling



STEP 1

Support the injured area above and below the site of the injury.




STEP 4

Tie ends of sling at side of neck.



STEP 2

Check for feeling, warmth, and color




STEP 5

Bind injured area to chest with folded triangular bandage.



STEP 3


Place triangular bandage under injured arm and over uninjured shoulder to form a sling.




STEP 6

Recheck for feeling, warmth, and color

DIAGRAM SHEET 5.3-5



**SLING FOR IMMOBILIZING
FRACTURED CLAVICLE**




**SPLINT AND SLING FOR A
FRACTURED UPPER ARM**



**FIRST AID FOR A
FRACTURED FOREARM**



**SWATHE BANDAGE OF
FRACTURED RIB VICTIM**



SPLINT FOR A FRACTURED FEMUR

**IMMOBILIZATION
OF A FRACTURED
PATELLA**






DIAGRAM SHEET 5.3-6




CLOSED AND OPEN FRACTURE



- 1. MOIST AND CLAMMY SKIN
- 2. PUPILS DILATED
- 3. NORMAL OR SUBNORMAL TEMPERATURE


- 1. HOT DRY SKIN
- 2. PUPILS CONSTRICTED
- 3. VERY HIGH BODY TEMPERATURE




SYMPTOMS OF SHOCK




FIRST DEGREE PARTIAL THICKNESS SECOND DEGREE PARTIAL THICKNESS THIRD DEGREE FULL THICKNESS



DEGREE OF BURNS



ABDOMINAL EVISCERATION



RULES OF NINE



APPLYING COMPRESS TO AN ABDOMINAL EVISCERATION

DIAGRAM SHEET 5.3-7

Control Bleeding



STEP 1 Cover wound with dressing and press firmly against the wound with hand.



If bleeding doesn't stop...
STEP 4 Apply additional dressings.



STEP 2 Elevate arm above the level of the heart.



STEP 5 Squeeze artery against bone.



STEP 3 Cover dressings with a roller bandage.



If bleeding is from the leg, press with the heel of your hand where the leg bends at the hip.

DIAGRAM SHEET 5.3-8

